

**AMERICAN DJ  
SAFETY DATA SHEET**



**HEALTH & SAFETY  
PRODUCT DATA SHEET**

**Name:  
SCENT BANANA**

## 1 – IDENTIFICATION OF SUBSTANCE / PREPARATION & COMPANY

### Identification of substance:

Name: Scent Banana  
Product code: 121120004 - Banana  
Packing: Bottle of 20 ML

### Identification of the Provider:

AMERICAN DJ  
A.D.J. Supply Europe B.V  
Junostraat 2  
6468 EW Kerkrade - The Netherlands

Tel. +31 45 546 85 66  
Fax +31 45 546 85 99  
Website: [www.elationlighting.eu](http://www.elationlighting.eu)  
email: [info@elationlighting.eu](mailto:info@elationlighting.eu)

### Emergency telephone number:

Emergency phone nr: ORFILA +33 (0) 1 45 42 59 59 Europeans emergency (112)

### Use of the substance/preparation: Professional Use Only

Liquid formulation used to perfume artificial smoke or fog or haze or Bubble Fluid used in the entertainment events, shows, clubs, theaters, training occupational safety drills.

Under normal operating conditions (one 20ml bottle for 5 L can Fog Fluid), the products don't show any special danger.

Bottle of 20 ML contains mix of 30 % De ionized water (CAS 7732-18-5) , 30% Glycol (EINECS 2003380) and 40 % of chemical components perfume , major ones described below

The features below does not apply to the finished product in its entirety but only the part concerning to the chemical components perfume in pure state by the precautionary principle in relation to the toxicological characteristics.

## 2 – COMPOSITION / INFORMATION ON THE COMPONENTS

### Classification of the substance or mixture In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

30% De ionized water (CAS 7732-18-5) , 30% Glycol ( EINECS 2003380): not listed as hazardous product

**No substances fulfil the criteria set forth in annexe II section A of the REACH regulation (EC) n° 1907/2006.**

40 % of chemical components perfume

The perfume composition is in compliance with the recommendations IFRA, including the amendment 47 of June, 2013 for the application and the maximal dosage

Acute oral toxicity: harmful (Xn, R 22).

Eye damage (Xi, R 41).

Skin sensitisation ( Xi, R43)

May produce an allergic reaction.

Aquatic environmental hazard, chronic toxicity: toxic (N, R 51/53).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

#### **Label elements In compliance with directives 67/548/EEC, 1999/45/EC and adaptations.**

This mixture is a product for a professional use

Contains:

CAS 34398-01-1 UNDECYLHYDROXYPOLYOXYETHYLENE

EC 228-408-6 HEXYL SALICYLATE

Risk phrase :

R 51/53 Toxic to aquatic organisms.

R 22 Harmful if swallowed.

R 41 damage to eyes. R 43 May cause sensitisation by skin contact.

R 66 Repeated exposure may cause skin dryness or cracking

Safety phrase :

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 36/39 Wear suitable protective clothing and eye/face protection.

S 45 In case of accident or if you feel unwell, seek medical advice immediately

S 61 Avoid release to the environment. Refer to special instructions/Safety data sheets.

#### **Other hazards**

The mixture does not contain any substances classified as 'Substances of Very High Concern' (SVHC) by the European Chemicals Agency (ECHA) under article 57 of REACH:  
<http://echa.europa.eu/fr/candidate-list-table>

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## **3 – IDENTIFICATION OF THE DANGERS**

### **Substances**

No substances fulfil the criteria set forth in annexe II section A of the REACH regulation (EC) n° 1907/2006.

### **Mixtures Composition:**

- 30 % De ionized water (CAS 7732-18-5)

- 30% Glycol ( EINECS 2003380)

- 40 % of chemical components perfume, major ones described below

Information on ingredients:

CAS: 34398-01-1 UNDECYLHYDROXYPOLYOXYETHYLENE - x % < 50

CAS: 123-92-2 EC: 204-662-3 ISOPENTYL ACETATE <= x % < 25

CAS: 169107-21-5 ALCOOL C9-11 ETHOXYLE <= x % < 25

CAS: 140-11-4 EC: 205-399-7 BENZYL ACETATE 2.5 <= x % < 10

CAS: 97-53-0 EC: 202-589-1 EUGENOL <= x % < 2.5

CAS: 659-70-1 EC: 211-536-1 ISOVALERIANATE ISO AMYLE 0 <= x % < 2.5

CAS: 104-67-6 EC: 203-225-4 GAMMA-UNDECALACTONE 0 <= x % < 2.5

CAS: 1205-17-0 EC: 214-881-6 ALPHAMETHYL-3,4-METHYLENEDIOXYHYDRO CINNAMIC ALDEHYDEGHS07 - 0 <= x % < 2.5

CAS: 123-68-2 EC: 204-642-4 ALLYL HEXANOATE (ALLYL CAPROATE) - 0 <= x % < 2.5

CAS: 4180-23-8 EC: 224-052-0 TRANS-ANETHOLE [(E)-ANETHOLE] - 0 <= x % < 2.5

## 4 – FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.  
NEVER induce swallowing by an unconscious person.

### Description of first aid measures

**In the event of exposure by inhalation:**

**In the event of splashes or contact with eyes:**

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

**In the event of splashes or contact with skin:**

**In the event of swallowing:** Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary.

**Most important symptoms and effects, both acute and delayed:** No data available.

**Indication of any immediate medical attention and special treatment needed:** No data available.

## 5 – FIRE FIGHTING MEASURES

Non-flammable.

### Extinguishing media

#### Suitable methods of extinction

In the event of a fire, use: Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires

#### Unsuitable methods of extinction

In the event of a fire, do not use: Never use water

### Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

**Advice for firefighters:**

No data available.

## 6 – MEASURE IN CASE OF ACCIDENTAL LEAK

### Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

**For non fire-fighters:**

Avoid any contact with the skin and eyes.

**For fire-fighters:**

Fire-fighters will be equipped with suitable personal protective equipment (See section 8).

**Environmental precautions:**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

**Methods and material for containment and cleaning up:**

Clean preferably with a detergent, do not use solvents.

**Reference to other sections:**

No data available.

## 7 – HANDLING & STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

**Precautions for safe handling:**

Always wash hands after handling. Remove and wash contaminated clothing before re-using. Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

**Fire prevention:**

Prevent access by unauthorised personnel. Prevent the accumulation of electrostatic charges with connections to earth. The mixture can become electrostatically charged: always earth during decanting operations. Wear antistatic shoes and clothing and floors should be electrically conductive

Keep packages tightly closed and away from sources of heat, sparks and naked flames. Do not use tools which may produce sparks. Do not smoke. Prevent access by unauthorised personnel.

**Recommended equipment and procedures:**

For personal protection, see section 8. Observe precautions stated on label and also industrial safety regulations. Avoid inhaling vapors. Carry out any industrial operation which may give rise to this in a sealed apparatus. Provide vapor extraction at the emission source and also general ventilation of the premises. Avoid eye contact with this mixture.

**Prohibited equipment and procedures:**

No smoking, eating or drinking in areas where the mixture is used.

**Conditions for safe storage, including any incompatibilities:**

No data available.

**Storage:**

Keep away from food and drink, including those for animals.

**Packaging:**

Always keep in packaging made of an identical material to the original.

**Specific end use(s):**

No data available.

## 8 – EXPOSURE CONTROLS & PERSONAL PROTECTION

- European Union (2009/161/EU, 2006/15/EC, 2000/39/EC, 98/24/EC)  
CAS VME-mg/m<sup>3</sup>VME-ppm : VLE-mg/m<sup>3</sup> :VLE-ppm : Notes :  
123-92-2 270 50 540 100

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :  
CAS TWA : STEL : Ceiling : Definition :Criteria :  
123-92-2 50 ppm 100 ppm  
140-11-4 10 ppm - - - -

- Germany - AGW (BAuA - TRGS 900, 21/06/2010) :  
CAS VME : VME : Excess Notes  
123-92-2 50 ml/m<sup>3</sup> 270 mg/m<sup>3</sup> 1(I) DFG, E

- France (INRS - ED984 :2008) :  
CAS VME-ppm :VME-mg/m<sup>3</sup> :VLE-ppm : VLE-mg/m<sup>3</sup> : Notes TMP No :  
123-92-2 50 270 100 540 84

- UK / WEL (Workplace exposure limits, EH40/2005, 2007) :  
CAS TWA : STEL : Ceiling : Definition :Criteria :  
123-92-2 50 ppm 100 ppm - - -

**Control parameters**

No data available.

Use personal protective equipment that is clean and has been properly maintained.  
Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using.  
Ensure that there is adequate ventilation, especially in confined areas.

**Eye / face protection**

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes  
Before handling, wear safety goggles with protective sides accordance with standard EN166.  
In the event of high danger, protect the face with a face shield.  
Prescription glasses are not considered as protection.  
Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.  
Provide eyewash stations in facilities where the product is handled constantly.

## Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required

Type of gloves recommended:

Recommended properties: Impervious gloves in accordance with standard EN374

## Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## Respiratory protection

Type of FFP mask:

Category:

Type of mask with combined filters:

Type of powered air-purifying respirator:

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387:

Particle filter according to standard EN143:

Independent breathing apparatus for respiratory protection:

## 9 – PHYSICAL & CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

#### General information:

Physical state: Fluid liquid.

#### Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not specified.

Flash point interval: Flash point of the chemical component perfume pure > 49°C

Method for determining the flash point:

Vapour pressure (50°C): Below 110 kPa (1.10 bar).

Method for determining the vapour pressure: :

Density: Not stated.

Water solubility: Insoluble.

Method for determining

the water solubility: Viscosity:  $\nu < 7 \text{ mm}^2/\text{s}$  (40°C)

Method for determining the viscosity:

Melting point/melting range: Not specified.

Self-ignition temperature: Not specified.

Decomposition point/

decomposition range: Not specified.

**Other information:** No data available.

## 10 – STABILITY AND REACTIVITY

**Reactivity:** No data available.

**Chemical stability**

This mixture is stable under the recommended handling and storage conditions in section 7.

**Possibility of hazardous reactions** No data available.

**Conditions to avoid**

Avoid: Accumulation of electrostatic charges.  
Heating, flames and hot surfaces

**Incompatible materials**

Keep away from: No data available

**Hazardous decomposition products**

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

## 11 – TOXICOLOGICAL INFORMATION

### Information on toxicological effects

Harmful if swallowed.

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis. May cause an allergic reaction by skin contact.

### Substances

**Acute toxicity:**

EUGENOL (CAS: 97-53-0)

Oral route : DL50 = 2300 mg/kg

BENZYL ACETATE (CAS: 140-11-4)

Oral route : DL50 = 2490 mg/kg

**Skin corrosion/skin irritation:**

**Serious damage to eyes/eye irritation:**

**Respiratory or skin sensitisation:**

**Germ cell mutagenicity:**

**Carcinogenicity:**

**Reproductive toxicant:**

**Specific target organ systemic toxicity - single exposure:**

**Specific target organ systemic toxicity - repeated exposure:**

**Aspiration hazard:**

### Mixture

**Acute toxicity:**

**Skin corrosion/skin irritation:**

**Serious damage to eyes/eye irritation:**

**Respiratory or skin sensitisation:**

Contains at least one sensitising substance.  
May cause an allergic reaction.



**Germ cell mutagenicity:**

**Carcinogenicity:**

**Reproductive toxicant:**

**Specific target organ systemic toxicity - single exposure:**

**Specific target organ systemic toxicity - repeated exposure:**

**Aspiration hazard:**

**Symptoms related to the physical, chemical and toxicological characteristics**

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Interactive effects**

**Absence of specific data**

**Mixture versus substance information**

**Other information**

## 12 – ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterway

**Toxicity**

**Substances**

**Mixtures:**

No aquatic toxicity data available for the mixture.

**Persistence and degradability**

No data available.

**Substances**

**Mixtures**

**Bioaccumulative potential**

No data available.

**Substances**

**Mixtures**

**Mobility in soil**

No data available.

**Results of PBT and**

**vPvB assessment**

No data available.

**Other adverse effects**

No data available.

## 13 – ELIMINATION CONSIDERATION

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC

**Waste treatment methods**

Do not pour into drains or waterways.

**Waste:**

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

**Soiled packaging:** Empty container completely. Keep label(s) on container.  
Give to a certified disposal contractor.

**Local arrangements:**

**Codes of wastes (Decision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste)**

## 14 – TRANSPORT INFORMATION

**These indications do not concern the complete mixture but only the part about the chemical components perfume. These indications are issued for precautionary principle**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2013). UN number

**Transport hazard class(es) - Classification :** 9

**Packing group**

**Environmental hazards**

- Environmentally hazardous material :

**Special precautions for user**

ADR/RID Class Code Pack gr.Label Ident. LQ Provis.EQ Cat. Tunnel 9 M6 III 9 90 5 L 274 335E1 3 E

IMDG Class 2°Label Pack gr.LQ EMS Provis. EQ 9 - III 5 L F-A,S-F 274 335 E1

IATA Class 2°Label Pack gr.Passager Passager Cargo Cargo note EQ 9 - III 964 450 L 964 450 L A97 A1E1

9 - III Y964 30 kg G - - A97 A1E1

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.** No data available.

## 15 – REGULATORY INFORMATIONS

Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations

- Directive 1999/45/EC and its adaptations

- Regulation EC 1272/2008 modified by regulation EC 618/2012

- Container information: No data available.

- Particular provisions: No data available.

Substances that deplete the ozone layer (EC Regulation No. 1005/2009) :

CAS Substance Group Formula Category ODP

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) :

- Swiss ordinance on the incentive tax on volatile organic compounds :

Chemical safety assessment: No data available.

## 16 – OTHER INFORMATIONS

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.



A.D.J. Supply Europe B.V  
Junostraat 2  
6468 EW Kerkrade - The Netherlands